

Fig. 1

Collect Base
Functional
Outcomes Data

Acute Care

Rehab Admission

Sleep History
Assessment

Positive

Negative

94762*

SDB Screen (O₂ Night #1)

Yes

No

• Desaturation >10%

• Desaturation <10%

95807*

In-patient portable sleep
study - Embletta (Night#2)
Note: requires hospital license

* Technical component
may be billed by third-
party

AHI > 20

AHI < 20

(sleep study recommended upon
discharge if sleep history positive)

OSA

CSA

95811*

Set-up AutoSet T (Night #3)
Req. most like K0532 reimbursement

Collect Final
Functional
Outcomes Data

Approved

Denied

Discharge w/ AutoSet T
K0532

Discharge w/ AutoSet T
E0601

Rehab Discharge

Full PSG
(Unless prior authorization by insurer)

Discharge w/ VPAP II ST/A
K0533

Fig. 2

Rehab Clinic Supports in-patient portable studies
Separate Sleep History Screening

Central Sleep Apnea
ICD-9-CM 780.51-0

Set-up VPAP II ST/A (Night #3)
Request K0533 Reimbursement

Routine Care

Acute Care

Rehab Admission

Collect Base

Functional

Outcomes Data

SDB Screen (O₂
Night #1)

No

Yes

- Desaturation >10%, or
- Sleep History +ve

In-patient portable sleep
study - Embletta (Night#2)

28

For portable studies
replace "Full-PSG" with
"Embletta" and "95810"
with "95807"

AHI < 20

AHI > 20

OSA

CSA

Routine Care

Central Sleep Apnea
ICD-9-CM 780.51-0

30

32

Set-up AutoSet T (Night #3)

Set-up VPAP II ST/A (Night #3)

Collect Final

Functional

Outcomes Data

95810

Full PSG Sleep Lab Study
Req. most like K0533 reimbursement

Approved

Denied

Prescribe AutoSet T
K0532

Prescribe AutoSet T
E0601

Full PSG Sleep Lab Study
Request K0533 Reimbursement

Prescribe VPAP II ST/A
K0533

95810

Fig. 5

Sleep study conducted at sleep lab after discharge

- Desaturation <10%, and
- Sleep History -ve

Rehab Discharge

Fig. 6

Sleep study conducted at sleep lab prior to rehab




Fig. 7
IN-PATIENT
PROTOCOL

